

RESOLUTION AND ORDER NO. 10-16-855

OF THE EDWARDS AQUIFER AUTHORITY BOARD OF DIRECTORS DECLARING CERTAIN PERSONAL PROPERTY OF THE EAA TO BE SURPLUS AND AUTHORIZING THE GENERAL MANAGER TO SELL OR OTHERWISE DISPOSE OF THE SURPLUS EAA PROPERTY.

WHEREAS, the Edwards Aquifer Authority ("EAA") was created by the Edwards Aquifer Authority Act, Act of May 30, 1993, 73rd Leg., R.S., ch. 626, 1993 Tex. Gen. Laws 2350, as amended ("Act"); and

WHEREAS, under Section 1.02 of the EAA Act, the EAA is a conservation and reclamation district created by virtue of Article XVI, Section 59 of the Texas Constitution, and is a governmental agency and body politic and corporate vested with the full authority to exercise the powers and to perform the functions specified in the Act; and

WHEREAS, under Section 49.226, Texas Water Code, the EAA is authorized to dispose of personal property that is surplus to the needs of the EAA; and

WHEREAS, the EAA has issued bylaws to implement Section 49.226 which are found at Article XVI of the EAA's Bylaws; and

WHEREAS, the General Manager has identified items of personal property that are no longer needed by the EAA and require disposal; and

WHEREAS, the items of personal property identified by the General Manager are set out in Exhibit A which is attached to this Resolution and Order and incorporated herein for all purposes; and

WHEREAS, the General Manager has estimated the original approximate value of each item of personal property contained in Exhibit A to be greater than \$300; and

WHEREAS, EAA funds were used to obtain each item of personal property contained in Exhibit A; and

WHEREAS, the Board of Directors ("Board") of the EAA has determined that each item of personal property contained in Exhibit A is surplus and no longer needed by the EAA; and

WHEREAS, the Board has determined that it is in the public interest that the personal property in Exhibit A be disposed of according to the applicable procedures of the EAA.

NOW, THEREFORE, BE IT RESOLVED AND ORDERED BY THE BOARD OF DIRECTORS OF THE EDWARDS AQUIFER AUTHORITY THAT:

- Section 1. The recitals set out above are found to be true and correct, and they are hereby adopted by the Board of Directors and are made a part of this Resolution and Orders for all purposes.
- Section 2. The Board of Directors hereby approves of and directs the disposal of the surplus personal property contained in Exhibit A, attached hereto.
- Section 3. The General Manager is directed to conduct a public and/or private sale to dispose of the personal property contained in Exhibit A.
- Section 4. The General Manager is directed to give written notice of a public sale stating the place, day and hour of the sale and post the notice at least fourteen (14) days before the scheduled time of the sale on a bulletin board convenient to the public at the business office of the EAA at 900 East Quincy, San Antonio, Texas.
- Section 5. The General Manager may also provide additional public notice, such as via publication in area newspapers, announcement on the EAA website, etc., as he may deem appropriate.
- Section 6. In the event the General Manager conducts a private sale, the General Manager is directed to develop a list of individuals or organizations that may have a particular interest the type or category of personal property that is being surplusd.
- Section 7. The General Manager is directed to give written notice of a private sale to those persons or entities identified by the EAA stating the place, day and hour of the sale. The notice shall be distributed 14 days before the scheduled time of the sale.
- Section 8. Notices of public or private sale shall include a list of each item of surplusd personal property for sale.
- Section 9. The General Manager shall conduct all sales using the sealed bid format selecting the bid most advantageous to the EAA.
- Section 10. The General Manager shall accept all reasonable offers and is further authorized to require any buyer to enter into such agreements or contracts as the General Manager, at his discretion, finds reasonable and proper to complete the sale and delivery of any item of personal property.
- Section 11. If there is no willing buyer at a public and/or private sale, the General Manager may, at his discretion, attempt another public or private sale, or the personal property may be abandoned, released, exchanged or transferred to another district, municipality, county, countywide agency or authority upon terms deemed necessary or advantageous to the EAA.

Section 12. The General Manager is authorized, in lieu of a public or private sale, to exchange the personal property for other personal property needed by the EAA of an equivalent fair market value. This value may be determined by the General Manager.

Section 13. The General Manager is authorized to execute any documents necessary in furtherance hereof to effectuate the surplusing of the property identified in Exhibit A.

Section 14. This Resolution and Order shall become effective from and after its adoption.

PASSED AND APPROVED BY THE BOARD OF DIRECTORS OF THE EDWARDS
AQUIFER AUTHORITY THIS THE 11th DAY OF OCTOBER, 2016.

Luana Bucker
Chairman, Board of Directors

ATTEST:

Enrique P. Valdivia
Secretary, Board of Directors

APPROVED AS TO FORM



Darcy Alan Froynfel
General Counsel

EXHIBIT A
Edwards Aquifer Authority
Capital Fixed Assets Recommended for Surplus

Asset No.	Class	Qty	Description	Date	Purchase Amount	Accumulated Depreciation *	Book Value
3101	F	1	NEC phone system with 100 NEC Phones - (Non-working LCD Screens)	2/28/2008	63,170.60	50,009.98	13,160.62
2014-12	F	1	Tape Backup Unit - (Non-working)	12/15/2014	3,276.90	710.00	2,566.90
1025	F	1	Panasonic Laptops Toughbook - (Non-working)	11/26/2003	3,873.21	3,873.21	-
1164	F	1	Panasonic Laptops Toughbook - (Non-working)	11/1/2003	3,873.21	3,873.21	-
3130	F	1	Dell M6400 Laptop - (Non-working)	5/1/2009	1,985.90	1,985.90	-
1281	F	1	LaserJet Printer 4200 - (Non-working)	6/3/2004	1,655.00	1,655.00	-
1187	F	1	LaserJet Printer 4100 - (Non-working)	1/1/2002	1,924.00	1,924.00	-
3105	F	1	LaserJet Printer 4350dtn - (Non-working)	2/12/2008	1,904.00	1,904.00	-
3495	F	1	Plotter: HP Design Jet 800 - (Non-working)	12/11/2006	4,495.00	4,495.00	-
1147	F	1	SCHWAB 5000 4HD36-5 Lateral Cabinet - (Broken)	8/1/2003	1,674.00	1,674.00	-
1037	F	1	EYECOM PrintMaster 10,000 Microfiche Reader & Printer	12/1/2000	5,398.00	5,398.00	-
1632	F	1	Ott Hydrometre - Kalesto Intelligent Radar Level Sensor	8/31/1999	4,500.91	4,500.91	-
1633	F	1	Ott Hydrometre - Kalesto Intelligent Radar Level Sensor	8/31/1999	4,500.91	4,500.91	-
1454	V	1	2006 Ford Ranger Supercab Pickup 2DR 4X4	11/18/2005	18,237.00	18,237.00	-
Totals					\$ 120,468.64	\$ 104,741.12	\$ 15,727.52

* Accumulated Depreciation as of 12/31/2015

Non-Capital Assets Recommended for Surplus

Qty	Description	Qty	Description
16	Dell Optiplex 740 Desktops	1	Stevens CR500 Datalogger
1	Server Rack	1	Motorola DSL Gateway
2	PC Case	3	Dial-Up Modem
5	Harman PC Speakers	10	Converters
10	Laptop Bags	4	20mA Conductivity Probe
1	Cables & Connectors	1	1/4-inch Replacement Filter
15	Keyboards	1	Miscellaneous Wire & Connectors
42	Monitor Stands	1	Schlumberger - Pocket Reader
2	Printer Trays	1	Schlumberger - CTD-DIVER
9	VHS Tapes	6	KPSI - 150 Ft. Vented Pressure Transducer
1	ALOS Rollfilm Carrier 60 (attachment for Microfiche)	4	Desiccant tubes for KPSI Transducers
1	Remec Wacom L.P. - WP-438-2 Bandpass Cavity Filter, 170.3 MHz	5	Plugs for KPSI Transducers
136	DataSite Programmable Automation Controller	1	350 Pressure Transducer, Conductivity Sensor
6	Cabinet 4 Drawers	1	OTT-PLS - Pressure Transducer
4	B&B Electronics Modem	1	Northwest - PS9800 Pressure Transducer
8	SCADA Vision10	1	ASHCROFT - Pressure Transducer
1	SCADA32 Trainer	1	HANNA - Conductivity Probe
4	SCADA pack LIGHT	1	HANNA - Conductivity Transmitter
18	SCADA Micro16	4	STARLOG - Electrode MicroLogger
1	SCADA Vision50	1	UNIDATA - Conductivity Probe
14	OTT-NIMBUS - Recorder	4	Leupold & Stevens Chart Recorder Paper
2	OTT-ORPHIMEDES - Recorder	14	Stevens Type A/F Encoder
1	FIBOX - with misc cable	1	Kevlar Line & Tubing for NIMBUS & ORPHIMEDES
2	AT&T - Wire Gateway	1	Server Power Edge 2600