

V104-112 COMPLIANCE DATA SHEET

Name:	CDR Evans, LLC
Applicable Permit No(s). and Type(s):	IRP-P100-586 (Irrigation) = 156.312 acre-feet
Alleged Violation:	Exceeded annual authorized groundwater withdrawal during 2016.
Violation Rule Reference:	§§ 709.37, 711.134, 711.224 and 711.228
Status of Violation:	<input checked="" type="checkbox"/> Violator Not In Compliance <input type="checkbox"/> Violator Now In Compliance
Director District and County of Alleged Violation:	District-1 (Bexar County)
Prior / Other Violations of the Alleged Violator:	<ul style="list-style-type: none"> • None.
Additional Information:	2016 annual authorized withdrawal amount was 156.312 acre-feet; pumped 186.847 acre-feet; exceeded authorized groundwater withdrawal by 30.535 acre-feet.
Staff Recommendation Calculation:	<ul style="list-style-type: none"> • Penalties = (30.535 af x \$450.00) = \$13,740.75; Total proposed settlement amount = \$13,740.75
Counter-offer Proposal:	<ul style="list-style-type: none"> • Pay 5% of the EAA settlement (\$687.04) for failing to file transfer application; • Plans to attend EAA Well Owner's Workshop for \$1,000 credit towards deferred settlement. • Withhold collection of remaining EAA settlement (\$12,053.71) pending no over-pumping in 2017 and 2018.
Recommended Action:	Permit Holder has made a counter-offer to the EAA settlement, staff makes no recommendation on the counter-offer proposal.