



Legislation Details (With Text)

File #:	AI 13-2584	Version:	2	Name:	St George LPW Reinstatement
Type:	Action Item	Status:			Agenda Ready
File created:	1/19/2021	In control:			Board of Directors
On agenda:	2/9/2021	Final action:			2/9/2021
Title:	Consider recommendation from the Permits/Enforcement Committee to restore limited production well status for the wells owned by St. George Maronite Catholic Church, based on the owners' demonstrated ability to pump within annual groundwater withdrawal limits.				

Sponsors:

Indexes:

Code sections:

Attachments: 1. St. George Maronite Catholic Church Meter Readings, 2. St George Email, 3. 263908103-St George (W107-118) Order Vacating LPW Rescission Order

Date	Ver.	Action By	Action	Result
1/26/2021	1	Permits/Enforcement Committee		

Consider recommendation from the Permits/Enforcement Committee to restore limited production well status for the wells owned by St. George Maronite Catholic Church, based on the owners' demonstrated ability to pump within annual groundwater withdrawal limits.

RECOMMENDED MOTION:

Move the board adopt an Order Vacating the Order Issued on June 9, 2020, Rescinding Limited Production Well Status Pursuant to Section 711.70(b) of the EAA Rules relative to Well No. W107-118 owned by St. George Maronite Catholic Church.

SUMMARY:

The purpose of this agenda item is to consider a Permits/Enforcement Committee recommendation to reinstate limited production well status to the well owner above based on the following facts.

Following the passage of Senate Bill 1241 during the 2013 Regular Session of the Texas Legislature, the EAA adopted new rules in December 2013 creating a new category of exempt well called a Limited Production Well (LPW). To be recognized as an LPW, a well owner must: (1) have an Edwards Aquifer well that was drilled prior to June 1, 2013; (2) amend his or her well registration; (3) have a registered meter on the well; (4) submit annual use reports at the end of each calendar year documenting that no more than 1.4 acre-feet of groundwater was withdrawn; and (5) pay a yearly \$25 administration fee. Therefore, owners of LPWs may make withdrawals of up to 1.4 acre-feet of groundwater per year without the need for an EAA groundwater withdrawal permit.

In the event an annual use report shows an LPW owner withdrew more than 1.4 acre-feet of groundwater, EAA staff provides written notification to the well owner that the inability to consistently remain below the annual withdrawal limit for an LPW may result in the loss of LPW status for the well.

After a second occurrence of exceeding this withdrawal limit, the EAA board considers the need to rescind the LPW status to the well, and the owner would then be required to obtain groundwater withdrawal rights in order to continue making authorized withdrawals.

Generally, a well owner who has the LPW status rescinded by the board may make an appeal to the board to have their LPW status restored if they can demonstrate the ability to pump within LPW limits on a future Annual Groundwater Use reporting form.

St. George Maronite Catholic Church filed an LPW registration with the EAA for W107-118 on February 1, 2014. EAA records show the well exceeded the LPW limit during 2016 (pumped 1.484 acre-feet) and 2019 (pumped 2.183 acre-feet).

On March 16, 2020, after overpumping in 2019, EAA staff spoke with Richard Karam, attorney representing St. George Maronite Catholic Church, who acknowledged the overage and said that they experienced leaks in their water irrigation system that likely contributed to the overpumped condition. The owner said the church had made repairs and expressed their understanding and commitment to make future withdrawals within the limits allowed by an LPW.

At the June 2020 board meeting, the board voted to issue an Order Rescinding Limited Production Well Status for the Edwards Aquifer well (W107-118) owned St. George Maronite Catholic Church, with an opportunity to reinstate limited production well status if the church meets the limited production well limits for 2020 use.

On January 6, 2021, the owner filed an AUR with the EAA indicating 2020 annual withdrawals of 1.09 acre-feet, thus meeting annual limits. On January 19, 2021, the owner submitted a request that the LPW status be restored to W107-001 due to the owner's ability to make annual withdrawals within the limits of an LPW. The 2020 AUR and written request are attached to this item as well as a draft of the order vacating the rescission of the LPW status, which has been reviewed by legal counsel.

At the meeting on January 26, the Permits/Enforcement Committee voted to recommend the board adopt an Order Vacating the Order Issued on June 9, 2020, Rescinding Limited Production Well Status Pursuant to Section 711.70(b) of the EAA Rules relative to Well No. W107-118 owned by St. George Maronite Catholic Church.

M/WBE PARTICIPATION:

This agenda item does not involve the procurement of goods or services by the EAA and, therefore, this section is not applicable.

STRATEGIC PLAN REFERENCE:

This agenda item supports the general EAA mission.

FISCAL IMPACT:

None.

